


# The **TRIPLE ACTION** of **Aftamed**<sup>®</sup>

- **Aftamed**<sup>®</sup> contains hyaluronic acid, a **high molecular weight glycosaminoglycan (HMWHA)** and an essential component of intact, healthy gingiva, and oral mucosal tissue.<sup>5</sup>
- The **TRIPLE ACTION** of **Aftamed**<sup>®</sup> makes it an effective treatment against RAU.



Potent Anti-inflammatory  
and Pain Reduction

- As a scavenger, **Aftamed**<sup>®</sup> drains prostaglandins metalloproteinases and other bioactive molecules.<sup>6</sup>

Wound Healing and  
Tissue Regeneration

- **Aftamed**<sup>®</sup> -
  - induces early granulation tissue formation.<sup>6</sup>
  - inhibits inflammation.<sup>6</sup>
  - promotes epithelial turnover.<sup>6</sup>
  - promotes connective tissue angiogenesis.<sup>6</sup>

Protective Barrier  
and Adherence

- **Aftamed**<sup>®</sup> forms a protective barrier on exposed nerve ending which reduces pain and inflammation.<sup>7</sup>

**Aftamed® is available in oral gel and spray formulations.**

**Aftamed®**

Classic Gel Tube 8 ml (aniseed & mint)

Junior Gel tube 8 ml (peppermint)



**Directions:**

Apply 2 or 3 times a day, or more if required, after meals for one week or until the symptoms disappear.

Comes with a long tube nozzle that eases application at hard to reach areas in the oral mucosa.

Comes in peppermint flavour which appeals to children.

**Directions:**

Spray 2 to 3 times a day, or more if required, after meals for one week or until the symptoms disappear.

Comes with an easy to use 360 degrees multi-directional pump that allows targeted application of liquid at site of oral ulcer.

Convenient for hard to reach areas in the oral mucosa, for instance at the back of the mouth which promotes oral hygiene.

**Aftamed®**  
Spray 20 ml



\* Do not consume meal or drink for 30 minutes after application.

\* Keep at temperature between 5-37 degrees Celsius.



## Repair, Heal and Protect

Real oral ulcer remedy that makes all the difference through its **TRIPLE EFFICACY**–

- **Anti inflammatory and pain reduction<sup>6</sup>**
- **Wound healing and tissue generation<sup>6</sup>**
- **Protective barrier and adherence<sup>6</sup>**

### **REPAIR, PROTECT and HEAL with Aftamed<sup>®</sup>:**

- Biomimetic HA from biotechnological synthesis.<sup>5</sup>
- Does not contain alcohol and sugar.<sup>5</sup>
- Iso salivary pH.<sup>5</sup>
- Palatable taste, no artificial preservatives.<sup>5</sup>
- Vegan-friendly.<sup>5</sup>
- Safe to use in children and elderly patients.<sup>5</sup>
- Suitable for immunocompromised patients.<sup>5</sup>
- Available in Spray and Gel Formulations.<sup>5</sup>
- Medical device Class B certified and approved by EU and FDA.<sup>10,11,12</sup>
- Patent-protected (EU patent EP 0444492 & USA patent US 10,245,280).<sup>5</sup>

#### References

1. Number VI Recurrent aphthous stomatitis, Jurge S, Kuffer R, Scully C, Porter SR. Recurrent aphthous stomatitis. Oral Dis. 2006;12:1–21. 2. Healthline. What causes mouth ulcers? 25 possible conditions. Available at: <http://www.healthline.com/symptom/mouth-ulcers>. Accessed 4 November, 2015. 3. BetterHealth Channel. Mouth ulcers. Available at: <https://www.betterhealth.vic>. 4. Recurrent aphthous stomatitis, Preeti L, et al. J Oral Maxillofac Pathol 2011;15:252–256. 5. Aftamed Factbook, Bioplax Limited. 6. Hyaluronic Acid: A Boon in Periodontal Therapy Parveen D, et al. N Am J Med Sci. 2013;5(5): 309–315. 7. In vitro” evaluation of barrier properties of polymeric formulations, Prof. Paola Perugini, Department of Drug Sciences, University Pavia, July 2013. 8. The efficacy of topical hyaluronic acid in the management of recurrent aphthous ulceration. A. Nolan, C. Baillie, J. Badminton, M. Rudralingham, R. A. Seymour, J Oral Pathol Med 2006; 35: 461-465. 9. The efficacy of topical hyaluronic acid in the management of oral lichen planus, A. Nolan, J. Badminton, J. Maguire, R. A. Seymour, J Oral Pathol Med (2009) 38: 299–303. 10. Aftamed Product Insert 11. Aftamed Medical Device (MDA) Registration Certification. 12. Aftamed Food Drug Administration Certification.

Please consult your healthcare professional for further information.



**PHARMANIAGA MARKETING SDN BHD (118254-D)**  
No. 7, Lorong Keluli 1B, Kawasan Perindustrian Bukit Raja Selatan, Seksyen 7,  
40000 Shah Alam, Selangor Darul Ehsan, Malaysia.  
Tel : 603-3342 9999 Fax : 603-3344 2222 Customer Care Line : 1-800-888-313  
Email : [customercare@pharmaniaga.com](mailto:customercare@pharmaniaga.com) Website : [www.pharmaniaga.com](http://www.pharmaniaga.com)



BIOPLAX LIMITED  
Endeavour House, 78 Stafford Road  
Wallington, Surrey SM6 9AY UNITED KINGDOM  
<https://bioplaxpharma.com>

For healthcare professional use only